```
L7
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS
     77-86-1 REGISTRY
RN
     1,3-Propanediol, 2-amino-2-(hydroxymethyl)- (8CI, 9CI) (CA INDEX NAME)
CN
OTHER NAMES:
     2-Amino-2-(hydroxymethyl)propane-1,3-diol
     2-Amino-2-methylol-1,3-propanediol
CN
     Addex-Tham
     Aminotri (hydroxymethyl) methane
CN
     Aminotrimethylolmethane
CN
     Aminotris (hydroxymethyl) methane
CN
     Methanamine, 1,1,1-tris(hydroxymethyl)-
CN
CN
     Pehanorm
CN
     Sarkosyl
CN
     Talatrol
CN
     MAT
     TAM (buffering agent)
CN
CN
     THAM
CN
     Trigmo base
     Triladyl
CN
CN
     Trimethylolaminomethane
CN
CN
     Tris (buffering agent)
CN
     Tris Amino
CN
     Tris Amino Crystal
CN
     Tris buffer
CN
     Tris (hydroxymethyl) aminomethane
     Tris(hydroxymethyl)methanamine
CN
     Tris(hydroxymethyl)methylamine
CN
CN
     Tris (methylolamino) methane
CN
     Tris-steril
CN
     Trisamin
     Trisamine
CN
CN
     Trisaminol
CN
     Trispuffer
     Trizma
CN
     Trometamol
CN
CN
     Trometamole
     Tromethamine
CN
CN
     Tromethane
     Tromethanmin
CN
     Tutofusin tris
     3D CONCORD
     25149-07-9, 68755-45-3, 83147-39-1, 108195-86-4
DR
MF
     C4 H11 N O3
CI
     COM
                   ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*,
LC
     STN Files:
       BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT,
       CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES, DRUGU, EMBASE, GMELIN*, HODOC*, HSDB*, IFICDB,
       IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PIRA, PROMT,
       RTECS*, SPECINFO, TOXCENTER, USAN, USPAT2, USPATFULL, VETU
          (*File contains numerically searchable property data)
     Other Sources:
                       DSL**, EINECS**, TSCA**, WHO
          (**Enter CHEMLIST File for up-to-date regulatory information)
```

$$\begin{array}{c} & \text{NH}_2 \\ | \\ \text{HO-CH}_2 - \text{C-CH}_2 - \text{OH} \\ | \\ & \text{CH}_2 - \text{OH} \end{array}$$

C/ 33

$$\begin{array}{c} ^{\rm NH_2} \\ | \\ {\rm HO-CH_2-C-CH_2-OH} \\ | \\ {\rm CH_2-OH} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

4399 REFERENCES IN FILE CA (1962 TO DATE)

281 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

4407 REFERENCES IN FILE CAPLUS (1962 TO DATE)

71 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> SET NOTICE LOGIN DISPLAY

NOTICE SET TO OFF FOR DISPLAY COMMAND SET COMMAND COMPLETED

- L6 ANSWER 148 OF 159 CAPLUS COPYRIGHT 2003 ACS
- AN 1977:563654 CAPLUS
- DN 87:163654
- TI A simple method of choosing optimum pH-conditions for electrophoresis
- AU Rosengren, A.; Bjellqvist, B.; Gasparic, V.
- CS Aminkemi AB, Bromma, Swed.
- SO Electrofocusing Isotachophoresis, Proc. Int. Symp. (1977), Meeting Date 1976, 165-71. Editor(s): Radola, Bertold J.; Graesslin, Dieter. Publisher: de Gruyter, Berlin, Ger. CODEN: 36PGA8
- DT Conference
- LA English
- CC 9-3 (Biochemical Methods)
- AB Methods are described for performing electrophoresis perpendicular to an Ampholine pH gradient, focused in a flat bed of polyacrylamide gel. These procedures are useful in choosing optimum conditions for disc electrophoresis, isotachophoresis, and conventional electrophoresis, as well as for studying titrn. curves of proteins and conditions for protein isoelec. focusing. The advantages of crossed electrophoresis-isoelec. focusing in the same gel are emphasized.
- ST electrophoresis pH optimization isoelec focusing
- IT Isoelectric focusing

(for pH optimization in electrophoresis)

IT Electrophoresis and Ionophoresis
(pH optimization in, isoelec. focusing for)